

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6253306").PN.	USPAT; USOCR	OR	OFF	2006/02/15 15:02
L2	0	each adj instruction with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:04
L3	84	(each every) adj2 instruction with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:04
S71	11	intermediate adj representation with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 13:36

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 12,700,000 for **independent intermediate representation** . (0.83 seconds)**Comp.compilers: Re: language independent intermediate representation**

From comp.compilers newsgroup: Re: language independent intermediate representation.  
compilers.iecc.com/comparch/article/97-05-139 - 7k -  
[Cached](#) - [Similar pages](#)

Sponsored Links

**Independent Sales Rep?**

Sales Reps -  
Manufacturer Reps  
www.RepHunter.net

**Comp.compilers: Re: Intermediate Representation**

From comp.compilers newsgroup: Re: **Intermediate Representation**. ... >effective optimizations, language independent most of the time. ...  
compilers.iecc.com/comparch/article/90-08-018 - 11k -  
[Cached](#) - [Similar pages](#)

**Independent Agent**

Resources for the **Independent Agent**  
Leads, Carriers, Top Commissions  
csaresources.com

**Clarity MCode: A Retargetable Intermediate Representation for ...**

We have developed a high-level, machine-independent intermediate representation to compile Clarity that we call MCode (for "middle code"). ...  
research.sun.com/techrep/1995/abstract-43.html - 15k - [Cached](#) - [Similar pages](#)

**[PDF] Clarity MCode: A Retargetable Intermediate Representation for ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

**independent intermediate representation** to compile Clarity that we call MCode (for "middle code"). We use MCode to compile Clarity programs at program ...  
research.sun.com/techrep/1995/smlr\_tr-95-43.pdf - [Similar pages](#)

**Citations: Clarity MCode: A retargetable intermediate ...**

Clarity MCode: A retargetable intermediate representation for compilation. ... was built on the MCode machine independent intermediate language [10]. ...  
citeseer.ist.psu.edu/context/775335/0 - 12k - [Cached](#) - [Similar pages](#)

**[PDF] Intermediate Representations**File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Intermediate Representations**. • Machine independent translation. – Keep independent of target architecture for as long as possible. • **Intermediate** forms ...  
www.cs.rutgers.edu/~ryder/415/lectures/intermedRep.pdf - [Similar pages](#)

**[PDF] Improving Mobile Program Performance Through the Use of a Hybrid ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

architecture-independent intermediate format that, once written, can execute on any ... 2  
**Hybrid Intermediate Representation** for Mobile Java Programs ...  
www.cs.ucsb.edu/~ckrintz/papers/ire02.pdf - [Similar pages](#)

**[PS] The Zephyr Compiler Infrastructure Andrew Appel Jack Davidson ...**File Format: Adobe PostScript - [View as HTML](#)

The truth is that RTL is not a universal intermediate representation, even though it is machine-independent. The limitation that is easy to overlook is that ...  
www.cs.virginia.edu/zephyr/papers/overview98.ps - [Similar pages](#)

**[PDF] Microsoft PowerPoint - lec16.ppt**File Format: PDF/Adobe Acrobat - [View as HTML](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide



## THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used independent intermediate representation

 Found **73,900** of **910,869**

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)

Display results


[Search Tips](#)
[Try this search in The Digital Library](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 Clarity MCode: A Retargetable Intermediate Representation for Compilation

 L. Peter Deutsch, Theodore C. Goldstein, Brian T. Lewis  
 May 1995 Technical Report

Publisher: Sun Microsystems, Inc.

 Full text available: [pdf\(52.29 KB\)](#) Additional Information: [full citation](#), [abstract](#)

The Clarity C++ programming language is a dialect of C++ being developed in Sun Microsystems Laboratories to support the development of reliable systems and application software, and especially distributed software. We have developed a high-level, machine-independent intermediate representation to compile Clarity that we call MCode (for "middle code"). We use MCode to compile Clarity programs at program runtime (i.e., on-the-fly) into SPARC - code for the Solaris™ operating ...

### 2 Clarity MCode: a retargetable intermediate representation for compilation



Brian T. Lewis, L. Peter Deutsch, Theodore C. Goldstein

 March 1995 **ACM SIGPLAN Notices , Papers from the 1995 ACM SIGPLAN workshop on Intermediate representations**, Volume 30 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(948.64 KB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)

### 3 IDL: sharing intermediate representations



David Alex Lamb

 July 1987 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 9 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(1.77 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

IDL (Interface Description Language) is a practical and useful tool for controlling the exchange of structured data between different components of a large system. IDL is a notation for describing collections of programs and the data structures through which they communicate. Using IDL, a designer gives abstract descriptions of data structures, together with representation specifications that specialize the abstract structures for particular programs. A tool, the IDL translator, generates r ...

4

### Papers: Independent active program representation using ASN. 1